



# Adobe® Photoshop cs<sup>2</sup>

Julianne Kost & Daniel Brown • [www.adobeevangelists.com](http://www.adobeevangelists.com)

## Where Things Are

---

Windows - Almost all information regarding Photoshop CS2 is saved in one of two locations: C:\Documents and Settings\\Application Data\Adobe\... or C:\Program Files\Adobe\Photoshop CS... One of the benefits of saving items into the first location, is that they can then be shared with other Adobe Applications (for example, Color Settings and Metadata templates). If you save them to the Photoshop CS2 Folder, then Photoshop will be the only application that can take advantage of them (by default).

Here is a short list of the location of the most commonly requested files:

Photoshop Preferences	C:\Documents and Settings\ <user name="">\Application Data\Adobe\Photoshop\9.0\Adobe Photoshop CS2 Settings\ Adobe Photoshop CS2 prefs.psp</user>
	Note: You can also reset the Photoshop preferences by holding down the alt + control + shift on launch.
Startup Scripts	C:\Program Files\Common Files\Adobe\StartupScripts
“Other” Scripts	C:\Documents and Settings\ <user name="">\Application Data\Adobe\Scripts or C:\Program Files\Adobe\Adobe Photoshop CS2\Presets\Scripts</user>
Scripting Guide	C:\Program Files\Adobe\Adobe Photoshop CS2\Scripting Guide
Workspaces	C:\Documents and Settings\ <user name="">\Application Data\Adobe\Photoshop\9.0\Adobe Photoshop CS2 Settings\WorkSpaces</user>
Custom File Info Pannels	C:\Documents and Settings\ <user name="">\Application Data\Adobe\XMP\Custom File Info Pannels</user>
Custom Metadata Templates	C:\Documents and Settings\ <user name="">\Application Data\Adobe\XMP\Metadata Templates</user>
Soft Proof Settings	C:\Documents and Settings\ <user name="">\Application Data\Adobe\Color</user>
Color Settings	C:\Documents and Settings\ <user name="">\Application Data\Adobe\Color</user>
Photoshop Plug-ins	C:\Program Files\Adobe\Adobe Photoshop CS2\Plug-Ins
	Note: To create an additional Plug-Ins folder use the Plug-Ins & Scratch Disks Preferences (but do not assign it to PSCS or PS7's plugins folder).
Additional Jump To's	C:\Program Files\Adobe\Adobe Photoshop CS2\Helpers\ (Jump To HTML Editor) (Jump To Graphics Editor)
PSCS2 Presets	C:\Program Files\Adobe\Photoshop CS\ (Presets) and (Required)
	Presets include: Brush Presets, Color Books, Color Swatches, Contours, Custom Shape, Duotone, Gradients, Keyboard Shortcuts, Layouts, Optimized Colors, Optimized Output settings, Optimized Settings, Patterns, Photoshop Actions, Scripts, Styles, Textures, Tools, Web Photo Gallery

Almost all information regarding Adobe Bridge is saved in: C:\Documents and Settings\\Application Data\Adobe\Bridge or C:\Program Files\Adobe\Adobe Bridge. This includes Workspaces, Keywords, Metadata Preferences, Cache, Batch Rename Settings, Collections, and User Sort.

Almost all information regarding Adobe Camera Raw is saved in: C:\Documents and Settings\\Application Data\Adobe\CameraRaw including :Camera Raw Settings, Curves, Settings, Database, and Cache.

Macintosh - Almost all information regarding Photoshop CS2 is saved in one of three locations: either within the User's Library folder, the system Library folder, or within the Photoshop Application folder itself. One of the benefits of saving items into the system library is that they can then be shared with other Adobe Applications (for example, Color Settings and Metadata templates). If you save them to the Photoshop CS2 Folder, then Photoshop will be the only application that can take advantage of them (by default).

Here is a short list of the location of the most commonly requested files:

Photoshop Preferences	<hard drive>\Users\ <user cs2="" name&gt;\library\preferences\photoshop="" photoshop="" prefs.psp<="" settings\adobe="" td=""></user>
	Note: You can also reset the Photoshop preferences by holding down the option + cmd + Shift on launch.
Startup Scripts	<hard drive>\Library\Application Support\Adobe\StartupScripts
"Other" Scripts	<hard drive>\Applications\Adobe Photoshop CS2\Presets\Scripts
Scripting Guide	<hard drive>\Applications\Adobe Photoshop CS2\Scripting Guide
Workspaces	<hard drive>\Users\ <user name&gt;\library\preferences\adobephotoshopcs2settings\workspaces<="" td=""></user>
Custom File Info Panels	<hard drive>\Users\ <user file="" info="" name&gt;\library\application="" panels<="" support\adobe\xmp\custom="" td=""></user>
Custom Metadata Templates	<hard drive>\Users\ <user name&gt;\library\application="" support\adobe\xmp\metadata="" td="" templates<=""></user>
Color Profiles	<hard drive>\Library\Application Support\Adobe\Color\Profiles
Color Settings	<hard drive>\Library\Application Support\Adobe\Color \Settings
Photoshop Plug-ins	<hard drive>\Applications\Adobe Photoshop CS2\Plug-Ins
	Note: To create an additional Plug-Ins folder use the Plug-Ins & Scratch Disks Preferences (but do not assign it to PSCS or PS7's plugins folder)
Additional Jump To's	<hard drive>\Applications\Adobe Photoshop CS2\Helpers (Jump To HTML Editor) (Jump To Graphics Editor)
PSCS2 Presets	<hard drive>\Applications\Adobe Photoshop CS2\Presets
	Presets include: Brush Presets, Color Books, Color Swatches, Contours, Custom Shape, Duotone, Gradients, Keyboard Shortcuts, Layouts, Optimized Colors, Optimized Output settings, Optimized Settings, Patterns, Photoshop Actions, Scripts, Styles, Textures, Tools, Web Photo Gallery.

Almost all information regarding Adobe Bridge is saved in: <hard drive>\Applications\Adobe Bridge or <hard drive>\Users\

Almost all information regarding Adobe Camera Raw is saved in: <hard drive>\Users\

